



Report on COVID-19 deaths reported in Ireland

Report produced by Health Protection Surveillance Centre on 02/04/2024

This report includes data for COVID-19 cases notified on CIDR up to and including midnight on 30/03/2024 00:00:00 who have been notified as COVID-19 deaths

The [HPSC Epidemiology of COVID-19 Data Hub](#) provides a breakdown of notified deaths by county, age group and place of death. The Data Hub is updated each Wednesday.

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system on 02/04/2024 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously reported figures.

Table 1: Summary characteristics of COVID-19 deaths notified in Ireland with date of death from 06/01/2024 00:00:00 to 30/03/2024 00:00:00

Characteristics	Number of deaths	
Total number of deaths	130	
Age	Mean age (Years)	82
	Median age (Years)	85

The number of deaths described in the above table relate only to COVID-19 cases who died within this time period and whose death has been reported to CIDR up to 02/04/2024. It does not include deaths of COVID-19 cases reported to CIDR in the last four weeks but with an earlier date of death. It also does not reflect the final number of deaths occurring for this period as the outcome may not yet have occurred, or is yet to be reported to CIDR.

Table 2: Summary characteristics of COVID-19 deaths in Ireland, cases with a date of notification from 01/03/2020 to 30/03/2024 00:00:00

Characteristics		Number of Deaths	Percentage
Total number of deaths		9,559	
Sex	Female	4,460	46.7
	Male	5,099	53.3
	Unknown	0	0.0
	M:F ratio	1.14	
Case classification*	Possible	369	3.9
	Probable	193	2.0
	Confirmed	8,997	94.1
Healthcare Worker	Yes	23	0.2
	No	6,302	65.9
	Unknown	3,234	33.8
Underlying Conditions	Yes	6,810	71.2
	No	957	10.0
	Unknown	1,792	18.7
ICU Admission	Yes	997	10.4
	No	8,562	89.6

* [Case definition](#)

Table 3: Number and percentage of COVID-19 deaths and mortality rate per 100,000 in Ireland by age group, cases with a date of notification from 01/03/2020 to 30/03/2024 00:00:00

Characteristics		Number of Deaths	Percentage	Mortality rate per 100,000
Age	Median Age (Years)	82		
	Mean Age (Years)	80		
Age group	<25 yrs	18	0.2	0.9
	25-34 yrs	30	0.3	4.5
	35-44 yrs	93	1.0	12.5
	45-54 yrs	231	2.4	36.9
	55-64 yrs	583	6.1	114.5
	65-74 yrs	1,536	16.1	411.2
	75-84 yrs	3,139	32.8	1597.4
	85+ yrs	3,923	41.0	5807.1
	Unknown	6	0.1	
	Total	9,559	100	200.7

Please note that due to the small number of persons who died due to COVID-19 in the age groups 0-25 years this information has been aggregated in order to protect patient confidentiality

Table 4: Number and percentage of COVID-19 deaths and mortality rate per 100,000 in Ireland by county of notification, cases with a date of notification from 01/03/2020 to 30/03/2024 00:00:00

County	Number of deaths	Percentage	Mortality rate per 100,000
Carlow	129	1.3	226.6
Cavan	191	2.0	250.7
Clare	229	2.4	192.7
Cork	908	9.5	167.3
Donegal	340	3.6	213.6
Dublin	2,956	30.9	219.4
Galway	357	3.7	138.3
Kerry	233	2.4	157.7
Kildare	502	5.3	225.6
Kilkenny	178	1.9	179.4
Laois	157	1.6	185.4
Leitrim	55	0.6	171.6
Limerick	428	4.5	219.6
Longford	68	0.7	166.4
Louth	349	3.7	270.8
Mayo	411	4.3	314.9
Meath	309	3.2	158.4
Monaghan	150	1.6	244.4
Offaly	155	1.6	198.8
Roscommon	146	1.5	226.2
Sligo	79	0.8	120.5
Tipperary	243	2.5	152.3
Waterford	243	2.5	209.2
Westmeath	174	1.8	196.0
Wexford	308	3.2	205.7
Wicklow	261	2.7	183.3

Table 5: Place of death for COVID-19 deaths in Ireland, cases with a date of notification from 01/03/2020 to 30/03/2024 00:00:00

Place of death	Number of deaths	Percentage
Hospital	5,375	56.2
Residential Institution*	2,679	28.0
Hospice	161	1.7
Home	587	6.1
Other	164	1.7
Unknown	593	6.2

*Residential institution includes: community hospital/long stay unit, homeless facility, mental health facility and nursing homes.

Table 6: Summary of COVID-19 deaths linked to outbreaks in Ireland, cases with a date of notification from 01/03/2020 to 30/03/2024 00:00:00

		Number of Deaths	Percentage of total deaths	Percentage of deaths linked to outbreaks
Total number of deaths		9,559	100.0	
Deaths linked to outbreaks		4,582	47.9	100.0
Outbreaks by location	Nursing homes	2,747	28.7	60.0
	Hospital	1,204	12.6	26.3
	Community Hospitals/Long-stay units	220	2.3	4.8
	Residential institutions	134	1.4	2.9
	Other locations*	277	2.9	6.0

* Other locations include community outbreak, extended family, hotel, other, other healthcare service, private house, public house, religious/other ceremony, workplace

A death linked to an outbreak in a particular setting does not of itself indicate that transmission occurred within that setting. A case may be detected as part of an outbreak investigation, and associated with an outbreak, despite exposure and transmission having occurred elsewhere.

Table 7: Number of COVID-19 deaths in Ireland by month of death, cases with a date of notification from from March 2020 to April 2024

Year	Month	Number of deaths *
2020	March	129
2020	April	1,158
2020	May	362
2020	June	67
2020	July	17
2020	August	7
2020	September	39
2020	October	132
2020	November	190
2020	December	193
2021	January	1,426
2021	February	894
2021	March	258
2021	April	104
2021	May	45
2021	June	22
2021	July	22
2021	August	95
2021	September	192
2021	October	240
2021	November	268
2021	December	262
2022	January	324
2022	February	221
2022	March	344
2022	April	367
2022	May	130
2022	June	119
2022	July	200
2022	August	126
2022	September	76
2022	October	139
2022	November	140
2022	December	209
2023	January	206
2023	February	73
2023	March	79
2023	April	85
2023	May	89
2023	June	55
2023	July	38
2023	August	78
2023	September	67
2023	October	83
2023	November	53
2023	December	86
2024	January	98
2024	February	37
2024	March	13

Number of deaths for April 2024 is incomplete.

* Date of death reported for 9,657 of the deaths.




Figure 1: Total number of COVID-19 deaths in Ireland and cumulative number by week of death, cases with a date of notification from 01/03/2020 to 30/03/2024 00:00:00. Date of death reported for 9,657 of deaths.

Acknowledgments

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

Technical Notes

1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 10:36 on 02/04/2024. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

2. Population Data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis of deaths for the entire pandemic: 0-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and ≥ 85 years. Data were aggregated into the following age groups for the analysis of deaths with date of death in the past 7 days: 0-64 years, 65-74 years, 75-84 years and ≥ 85 years.

3. Definition of a COVID-19 death used by HPSC

For surveillance purposes, COVID-19 deaths include deaths in all possible, probable and confirmed COVID-19 cases (as per the COVID-19 case definition) and all should be notified, unless there is a clear alternative cause of death that cannot be related to COVID-19 infection (e.g. trauma). There should be no period of complete recovery* from COVID-19 between the illness and death. All COVID-19 deaths are notified regardless of the setting, including home, community and hospital settings. HPSC reports all deaths among these COVID-19 cases as outlined above and does not just confine the death reporting to those who die within 28 days of a positive test. This is in line with how COVID-19 cases are reported by the majority of European countries and follows WHO guidance for COVID-19 death surveillance.

*Please note that discharge from ICU or hospital is not in itself evidence of recovery. To determine if the case had recovered, it should be based on clinical assessment or alternatively a period of ≥ 3 months must have elapsed since the case was initially diagnosed with COVID-19 and the case must have no evidence of COVID-19 infection prior to death as assessed by a clinician.

Deaths not reported as COVID-19 deaths:

1. Persons with COVID-19 may die directly due to accidents. Such deaths are not due to COVID-19 and should not be certified as such. This decision not to certify as COVID-19 death will be based on clinical judgement.
2. In some instances, a death due to COVID-19 may not be attributed to another disease (e.g. cancer) and would be counted as a COVID-19 death independently of pre-existing conditions that are suspected of triggering a severe course of COVID-19.

More resources:

[COVID-19 interim case definition](#)

[Epidemiology of COVID-19 in Ireland Frequently Asked Questions](#)