



# COVID-19 Vaccination Uptake in Ireland

## Weekly Report

### Winter Campaign 2024

Week ending Sunday 6<sup>th</sup> October 2024

**Latest Summary Statistics Absolute Numbers of COVID-19 Winter 2024 Campaign Doses and Percentage Uptake of the Census 2022 Population and other denominator estimates between 16/09/2024 and 06/10/2024 inclusive**

Age Group	No. Booster Doses	Census 2022 Population/Other estimates	No. Booster doses as % Uptake Census 2022 Population/Other estimates
60-69yrs	12356	510814	2.4
70-79yrs	19809	357144	5.5
80+yrs	12593	181027	7.0
Immunocompromised 6months+	1284	63000	2.0
HCWs	3118	250000	1.2
LTCF residents	3332	25000	13.3

# Winter 2024 COVID-19 Campaign Target Groups



- The COVID-19 Winter 2024 vaccination campaign will officially start on 01/10/2024. However, because the National Cold Chain commenced deliveries of COVID-19 vaccines to GPs, Pharmacies and HSE from 16/09/2024, it has meant some GP clinics and pharmacies begun vaccine administration from this date. For the purposes of reporting henceforth, all figures from the week commencing 30/09/2024 will include those administered doses between 16/09/2024 and 30/09/2024 inclusive.
- The administration of vaccine doses follows the guidelines set down by the National Immunisation Advisory Committee (NIAC), which are available here at [https://rcpi.access.preservica.com/uncategorized/IO\\_e96fc7c5-1777-45d3-898e-5550336168aa/](https://rcpi.access.preservica.com/uncategorized/IO_e96fc7c5-1777-45d3-898e-5550336168aa/)
- The primary target groups of the Winter COVID-19 2024 vaccine campaign include those aged:
  - 60 years and older;
  - 6 months-59 years:
    - with immunocompromised conditions associated with a suboptimal response to vaccination
    - with medical conditions associated with a higher risk of COVID-19 hospitalisation, severe disease or death
    - 18-59 years living in long term care facilities for older adults;
- Health and care workers;
- Pregnant women:
  - For pregnant women, a single primary vaccination dose is recommended. A booster dose is recommended all year and is not seasonal and can be given if it is more than six months since their previous dose or infection at any stage in pregnancy. The booster is ideally given between 20-34 weeks' gestation. If it is more than 12 months since their previous COVID-19 vaccine or infection administration earlier in pregnancy should be considered.

# Methodology



- *Data were provided by OCIO based on data in the data lake PROD environment (includes COVAX registered vaccinations and GP administered vaccinations).*
- *DENOMINATOR USE: In this report, uptake is calculated based on Census 2022 population. See <https://www.cso.ie/en/releasesandpublications/ep/p-cpsr/censusofpopulation2022-summaryresults/populationchanges/>*

# Summary Findings I

***Between 16/09/2024 and 06/10/2024***

- **Total:** 132,879 COVID-19 booster doses reported
- **Age Group:** Booster dose uptake among
  - 60-69 year olds was 6.1%
  - 70-79 year-olds was 13.4%
  - 80+ year olds, it was 17.3 %
  - 60+ years olds was 10.5%
- **Gender:** Booster uptake was highest among males and females aged 80-84 years at 20.1% and 16.6%, respectively
  - Among eligible persons aged 6 months to 59 years booster dose uptake for
  - 6 months to 4 years was 0.0%
  - 5-11 years was 0.0 %
  - 12-59 years was 0.7%
- **Vaccination Location:** Of the booster doses administered
  - 74.3% were in GP clinics
  - 4.9% in HSE clinics
  - 20.7% in pharmacies
- **County of Residence:** Uptake was highest at
  - 9.2% among 60–69-year-olds in Co. Wexford
  - 18.0% among 70-79 years olds in Co. Dublin
  - 22.6% among 80+ years olds in Co. Sligo
  - 14.2% among 60+ year olds in Co. Wexford

# Summary Findings II



***Between 16/09/2024 and 6/10/2024***

- **Immunocompromised:** 15,727 booster doses administered; uptake was highest in Co. Dublin at 29.1% and in Co. Cork at 20.2% of the booster doses administered; estimated uptake nationally was 25.0% among an estimated immunocompromised population of 63,000
- **Pregnant women:** 202 booster doses administered aged 18-59 years; uptake nationally was 0.9% among an estimated target pregnant population of 22,790
- **Healthcare workers (HCWs):** 3,118 booster doses administered; uptake was highest in Co. Dublin at 38.0% and in Co. Cork at 12.1% of the booster doses administered; uptake nationally was 1.2% among an estimated HCW population of 250,000
- **LTCF residents:** 3,332 booster doses have yet been administered; uptake was highest in Co. Cork at 14.8% and in Co. Dublin at 14.7% of the booster doses administered; uptake nationally was 13.3% among an estimated LTCF resident population of 25,000


# COVID-19 Booster Doses by Age Group and Target Group between 16/09/2024 and 06/10/2024 inclusive

Period	Last Dose Course	Last Dose Classification/Type	6 months-4 years of age eligible for vaccination	5-11 years of age eligible for vaccination	12-59 years of age eligible for vaccination	60-69 years	70-79 years	80+ years	60+ years	6 months+	LTCF residents 18-59 years	LTCF residents 60+ years	Pregnant women	HCWs	All
16/09/2024 to 06/10/2024	Course2	Booster	1	4	3546	31149	48033	31341	110523	114074	156	3176	204	3118	132879
01/10/2024 to 06/10/2024	Course2	Booster	1	3	2181	18001	27018	17927	62946	65131	155	3176	127	3024	77232

## COVID-19 Booster Doses by Age Group between 16/09/2024 and 06/10/2024 inclusive

Age Group	No. Boosters	Census 2022 Population/Other denominator estimates	No. Booster doses % Uptake Population Census 2022/Other denominator estimates
All Ages	132879	5149139	2.6
6months+	132879	5120241	2.6
6months-49yrs	11391	3424088	0.3
5+yrs	132878	4853724	2.7
12+yrs	132871	4361794	3.0
12-17yrs	160	431222	0.0
18+yrs	132711	3930572	3.4
50+yrs	121488	1696153	7.2
60+yrs	110523	1048985	10.5
50-69yrs	42114	1157982	3.6
65+yrs	97706	776315	12.6
70+yrs	79374	538171	14.7
12-69yrs	53497	3823623	1.4
6months-4yrs	1	266517	0.0
5-11yrs	7	491930	0.0
12-59yrs	22348	3312809	0.7
60-69yrs	31149	510814	6.1
70-79yrs	48033	357144	13.4
80+yrs	31341	181027	17.3
Immunocompromised 6months+	15727	63000	25.0
HCWs	3118	250000	1.2
Pregnant women	204	22790	0.9
LTCF residents	3332	25000	13.3


# Percentage of Winter 2024 COVID-19 Booster Doses by Age Group and Other Specific Target Groups by Week administered between 16/09/2024 and 06/10/2024 inclusive



Age Group denominator based on census 2022;  
 Other approximate denominator estimates:  
 Immunocompromised 6months+ 63,000  
 HCWs 250,000  
 Pregnant women 22,790  
 LTCF residents 25,000




# Percentage of Winter 2024 COVID-19 Booster Doses by Specific Target Groups by Week administered between 16/09/2024 and 06/10/2024 inclusive




Age Group denominator based on census 2022;  
Other approximate denominator estimates:  
Immunocompromised 6months+ 63,000  
HCWs 250,000  
Pregnant women 22,790  
LTCF residents 25,000

# Uptake of Winter 2024 COVID-19 Booster Doses as a percentage of the Census 2022 population by age groups and gender administered between 16/09/2024 and 06/10/2024 inclusive



# Uptake of Winter 2024 COVID-19 Booster Doses by county as a percentage of the Census 2022 population among 60+ year olds between 16/09/2024 and 06/10/2024 inclusive




# Number of COVID-19 Winter 2024 booster doses administered to HCWs\* by age group and staff category administered between 16/09/2024 and 06/10/2024 inclusive (\*Based on the estimated denominator of 250,000)




Occupation	<18	18-59	60-69	70-79	80+	Total	% of Total
General Support Staff	0	145	61	6	0	212	6.8
Health & Social Care Professionals	0	551	63	1	0	615	19.7
Management & Administration Staff	0	393	106	5	0	504	16.2
Medical & Dental	0	553	64	2	0	619	19.9
Nursing & Midwifery	0	504	80	2	0	586	18.8
Patient Client Care Staff	0	133	47	3	0	183	5.9
General	0	12	6	1	0	19	0.6
Retired	0	0	1	0	0	1	0.0
Other	0	65	16	3	0	84	2.7
Not specified	11	238	39	6	1	295	9.5
<b>Total</b>	<b>11</b>	<b>2594</b>	<b>483</b>	<b>29</b>	<b>1</b>	<b>3118</b>	<b>100.0</b>


# Number of COVID-19 Winter 2024 booster doses among immunocompromised by age and gender administered between 16/09/2024 and 06/10/2024 inclusive




# Number of COVID-19 Winter 2024 booster doses among HCWs by age and gender administered between 16/09/2024 and 06/10/2024 inclusive



# Number of COVID-19 Winter 2024 booster doses among RCF residents by age and gender administered between 16/09/2024 and 06/10/2024 inclusive



# Percentage of Winter 2024 COVID-19 Booster Doses by Distribution Channel administered between 16/09/2024 and 06/10/2024 inclusive





# Acknowledgements

Sincere thanks to the following for providing the data for this report:

- National Immunisation Office (NIO)
- Office of the Chief Information Officer (OCIO)
- HSE Integrated Information Services (IIS) and COVAX Implementation team of Salesforce, IBM, PWC, EY
- HSE procurement/acute hospitals/CHOs/vaccinating teams and administrators/IT staff
- HSE Health Intelligence, Strategic Planning & Transformation Unit
- NHSS for Fair Deal Resident Data
- HR-Sap for HSE HCW Data



@hpscireland



@hpscireland

[www.hpsc.ie](http://www.hpsc.ie)



# Caveats I

- Uptake data reported refers to the period up to midnight of the last day of the latest epidemiological week Monday to Sunday.
- Where county and/or age group calculation of estimated uptake exceeds 100% due to data capture issues within Coax or where the numerator exceeds the population estimate/denominator then the uptake will be rounded down to **99.9% (unless otherwise indicated in the report)**.
- Total reported doses in this report now includes all vaccination doses on the IIS/COVAX data system, including those received abroad by Irish residents.
- Reported figures excludes vaccination records where the death of the individual has been recorded.
- While data is presented in terms of total number of people receiving boosters as a proportion of total population, it should be noted that not all people within these populations will be eligible for vaccination at a given time for example if they have recently had COVID-19 infection.
- It was not possible to accurately summarise the number of individuals aged between 6 months and 4 years, between 5 and 11 years and between 12 and 59 years with underlying medical conditions because those details in the IIS/COVAX extract are combined in a complex way with target groupings.

## Caveats II

- The data in this report are based on the vaccination records stored on the COVAX system. The vaccination status and other variables on the person's account and vaccination record such as risk factors and cohorted groupings are as recorded on this system. For values recorded on the person's account, these may not be updated at each vaccination event depending on them being provided by the vaccine recipient and recorded at the time of vaccination.
- Furthermore, for vaccinations given at GP practices and pharmacies, these other variables are not necessarily mandatory at the source of record (GP Practice or Pharmacy System) and so may not update changes on the person account in COVAX. As a result, in some cases, the data may reflect a historic value (such as risk factor or cohort).
- In addition, a person may have more than one risk factor for a given vaccination event, but all relevant risk factors may not be recorded.
- Also, cohorting (such as healthcare worker) is dependent on this information being supplied by the vaccine recipient at the time of vaccination and this being recorded on the system of record. Therefore, this data presented in this report is based on the vaccination status of individuals registered on the COVAX system based on their last dose received.
- This means that the risk factor profile of those same individuals may not reflect their actual status at that same time for the reasons explained above.
- The data presented in this slide set focusses exclusively on all booster doses administered during the Winter 2024 campaign as the number of individuals who have completed their primary course treatment is quite small, so much so that the numbers will have a negligible impact on the calculation of the overall percentage uptake of COVID-19 vaccination in the general population.