



Epidemiology of COVID-19 in Ireland

Report prepared by HPSC on 12/11/2020 for National Public Health Emergency Team

Summary characteristics of confirmed COVID-19 cases notified in Ireland up to midnight 10/11/2020

	Number	Percent
Total number of confirmed cases	66,237	
National cumulative incidence of confirmed cases per 100,000 population	1,390.99	
Total number of cases hospitalised	4,773	7.21
Total number of cases admitted to ICU	586	0.88
Total number of deaths among confirmed cases	1,706	2.58
Case fatality ratio (CFR, %)	2.58	
National cumulative incidence of confirmed deaths per 100,000 population	35.83	
Total number of outbreaks/clusters	7,748	
Total number of cases associated with clusters	33,696	50.87
Total number of imported cases	645	0.97
Number of cases in healthcare workers	11,075	16.72
Males	31,137	47.01
Females	35,080	52.96
M:F ratio	0.89	
Median age (years)	39	
Mean age (years)	42	
Age range (years)	0 - 106	

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 12/11/2020 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.




Figure 1a: Number* and cumulative number of confirmed COVID-19 cases notified in Ireland by notification date* to midnight 10/11/2020

*Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates




Figure 1b: Number and cumulative number of confirmed COVID-19 cases notified in Ireland by epidemiological date to midnight 10/11/2020**

**Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.




Figure 2: Cumulative 14 day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification* and epidemiological date to midnight 10/11/2020**

* Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

**Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland up to midnight on 10/11/2020

Characteristic		Number of cases	Percent
Total number of confirmed cases		66,237	100
Sex	Male:Female ratio	0.89	
	Male	31,137	47.01
	Female	35,080	52.96
	Unknown	20	0.03
Age	Median age (years)	39	
	Mean age (years)	42	
	Age range (years)	0 - 106	
	0-4 yrs	1,599	2.41
	5-14 yrs	3,893	5.88
	15-24 yrs	11,489	17.35
	25-34 yrs	11,207	16.92
	35-44 yrs	10,389	15.68
	45-54 yrs	10,117	15.27
	55-64 yrs	7,225	10.91
	65-74 yrs	3,870	5.84
	75-84 yrs	3,400	5.13
	85+ yrs	3,016	4.55
	Unknown	32	0.05




Figure 3: Cumulative age- and sex-specific incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 10/11/2020 (excluding 31 cases for whom age is unknown, 19 cases for whom sex is unknown and 1 case for whom both are unknown)




Figure 4: Cumulative incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 10/11/2020

Please do not directly compare county shades to previous maps. The numbers of cases by county are increasing and as such the categories listed will broaden which may result in changes to the map shading.

Table 2: Number of confirmed COVID-19 cases by county notified to midnight 10/11/2020

County Name	Number of cases	Percent
Carlow	579	0.87
Cavan	2,106	3.18
Clare	1,391	2.1
Cork	5,864	8.85
Donegal	2,487	3.75
Dublin	25,094	37.89
Galway	2,445	3.69
Kerry	1,238	1.87
Kildare	3,875	5.85
Kilkenny	862	1.3
Laois	916	1.38
Leitrim	242	0.37
Limerick	2,317	3.5
Longford	605	0.91
Louth	1,812	2.74
Mayo	1,300	1.96
Meath	3,144	4.75
Monaghan	1,167	1.76
Offaly	1,080	1.63
Roscommon	847	1.28
Sligo	694	1.05
Tipperary	1,330	2.01
Waterford	838	1.27
Westmeath	1,475	2.23
Wexford	1,141	1.72
Wicklow	1,388	2.1
Total	66,237	100

Table 3: Number of confirmed COVID-19 cases by WHO transmission classification notified to midnight 10/11/2020

Transmission classification*	Count of Events	%
Community transmission, incl. possible community transmission	21,343	32.22%
Local transmission, incl. possible local transmission	42,483	64.14%
Travel abroad, incl. possible travel abroad	955	1.44%
Unknown	1,456	2.20%
Total	66,237	100.00%

*See technical note 3 for definition of WHO transmission classification

Cases which were notified more than 2 weeks ago and have not yet been reported as imported or linked to an outbreak are classified as possible community transmission.

Table 4: Cumulative number of confirmed cases of COVID-19 notified in Ireland by age group, hospitalisation and ICU admission as of midnight 10/11/2020

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	1599	52	1.09	1	0.17
5-14 yrs	3893	47	0.98	4	0.68
15-24 yrs	11489	147	3.08	8	1.37
25-34 yrs	11207	298	6.24	17	2.9
35-44 yrs	10389	387	8.11	48	8.19
45-54 yrs	10117	608	12.74	106	18.09
55-64 yrs	7225	699	14.64	156	26.62
65-74 yrs	3870	861	18.04	167	28.5
75-84 yrs	3400	1,040	21.79	71	12.12
85+ yrs	3016	632	13.24	8	1.37
Unknown	32	2	0.04	0	0
Total	66,237	4,773	100	586	100

Table 5: Number and proportion of confirmed cases of COVID-19 notified in Ireland by age-group, hospitalisation, ICU Admission and vital status 10/11/2020

	0-4 yrs	5-14 yrs	15-24 yrs	25-34 yrs	35-44 yrs	45-54 yrs	55-64 yrs	65-74 yrs	75-84 yrs	85+ yrs	Unknown
Number of cases (n)	1,599	3,893	11,489	11,207	10,389	10,117	7,225	3,870	3,400	3,016	32
Cases hospitalised (n)	52	47	147	298	387	608	699	861	1,040	632	2
Cases hospitalised (%)	3.25	1.21	1.28	2.66	3.73	6.01	9.67	22.25	30.59	20.95	6.25
Cases admitted to ICU (n)	1	4	8	17	48	106	156	167	71	8	0
Cases admitted to ICU (%)	0.06	0.10	0.07	0.15	0.46	1.05	2.16	4.32	2.09	0.27	0
Deaths (n)	0	0	1	7	12	30	79	262	581	734	0
Case fatality ratio (%)	0	0	0.01	0.06	0.12	0.30	1.09	6.77	17.09	24.34	0

Outbreaks of COVID-19

Table 6: Number of clusters/outbreaks COVID-19 by location and HSE area notified to midnight 10/11/2020

Outbreak Location	E	M	MW	NE	NW	S	SE	W	HPSC	Total
Private house	3,210	87	176	438	314	462	545	490		5,722
Other*	215	59	147	60	100	197	58	112	2	950
Nursing home	163	16	20	51	8	21	20	44		343
Residential institution	138	16	17	33	10	30	14	9		267
Workplace	85	17	20	43	31	22	18	22		258
Hospital	92	7	8	20	6	17	5	7		162
Comm. Hosp/Long-stay unit	7	4	2		4	6	5	5		33
Unknown	10				3					13
Total	3,920	206	390	645	476	755	665	689	2	7,748

*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.




Figure 5: Trend in number of COVID-19 clusters by location and week notified to midnight 10/11/2020

*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.

Note: 6,912 COVID-19 outbreaks were reported on CIDR between week 24 and week 46 2020 (9th June to 10th Nov). Of these, 5,427 were family outbreaks. Based on the earliest date associated with each outbreak, some of these family outbreaks occurred earlier and were reported between weeks 24 and 46 as a result of data validation: 1 occurred in February, 636 in March, 474 in April, 94 in May, 126 in June, 127 in July, 533 in August, 1,498 in September, 1,778 in October and 160 to date in November.

Deaths among COVID-19 cases

Table 7: Summary of deaths in all COVID-19 cases notified in Ireland up to midnight 10/11/2020

	Number	Percent
Total number of deaths	1,965	
Confirmed	1,706	86.82
Probable	95	4.83
Possible	164	8.35
Total number of cases hospitalised	868	44.17
Cases admitted to ICU	123	6.26
Cases not admitted to ICU	745	37.91
Total number of imported cases	7	0.36
Number of cases in healthcare workers	8	0.41
Number with underlying clinical conditions	1,824	92.82
Total number of male cases	993	50.53
M:F ratio	1.02	
Median age (years)	83	
Mean age (years)	81	
Age range (years)	17 - 105	

Table 8: Number of deaths in all COVID-19 cases by sex and age group notified in Ireland up to midnight 10/11/2020

Age group (years)	Female	Male	Total	Percent
15-24 yrs	<5	<5	1	0.05
25-34 yrs	<5	5	7	0.36
35-44 yrs	6	7	13	0.66
45-54 yrs	12	20	32	1.63
55-64 yrs	27	58	85	4.33
65-74 yrs	106	184	290	14.76
75-84 yrs	298	365	663	33.74
85+ yrs	518	354	872	44.38
Unknown	<5	<5	2	0.1
Total	972	993	1,965	100
Percent	49.47	50.53		




Figure 6a: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total to midnight 10/11/2020




Figure 6b: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total, 01/09/2020 to midnight 10/11/2020

* Date of death is not yet available for six cases

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date

Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

Technical Notes

1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 12/11/2020. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

2. Epidemiological date

Epidemiological date is derived from the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and ≥ 85 years.

3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.
- Local transmission indicates locations where the source of infection is within the reporting location.
- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

4. HSE areas

The counties covered by each HSE area are as follows:

- HSE East (E): Dublin, Kildare & Wicklow;
- HSE Midlands (M): Laois, Longford, Offaly & Westmeath;
- HSE Midwest (MW): Clare, Limerick & N. Tipperary;
- HSE Northeast (NE): Cavan, Louth, Meath & Monaghan;
- HSE Northwest (NW): Donegal, Leitrim & Sligo;
- HSE South (S): Kerry & Cork;
- HSE Southeast (SE): Carlow, Kilkenny, S. Tipperary, Waterford & Wexford;
- HSE West (W): Galway, Mayo & Roscommon.

5. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.