



Epidemiology of COVID-19 in Ireland

Report prepared by HPSC on 11/11/2020 for National Public Health Emergency Team

Summary characteristics of confirmed COVID-19 cases notified in Ireland up to midnight 09/11/2020

	Number	Percent
Total number of confirmed cases	65,885	
National cumulative incidence of confirmed cases per 100,000 population	1,383.6	
Total number of cases hospitalised	4,744	7.2
Total number of cases admitted to ICU	585	0.89
Total number of deaths among confirmed cases	1,706	2.59
Case fatality ratio (CFR, %)	2.59	
National cumulative incidence of confirmed deaths per 100,000 population	35.83	
Total number of outbreaks/clusters	7,412	
Total number of cases associated with clusters	32,679	49.6
Total number of imported cases	637	0.97
Number of cases in healthcare workers	11,000	16.7
Males	30,951	46.98
Females	34,914	52.99
M:F ratio	0.89	
Median age (years)	39	
Mean age (years)	42	
Age range (years)	0 - 106	

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 11/11/2020 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.




Figure 1a: Number* and cumulative number of confirmed COVID-19 cases notified in Ireland by notification date* to midnight 09/11/2020

*Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates




Figure 1b: Number and cumulative number of confirmed COVID-19 cases notified in Ireland by epidemiological date to midnight 09/11/2020**

**Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.




Figure 2: Cumulative 14 day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification* and epidemiological date to midnight 09/11/2020**

* Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

**Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland up to midnight on 09/11/2020

Characteristic		Number of cases	Percent
Total number of confirmed cases		65,885	100
Sex	Male:Female ratio	0.89	
	Male	30,951	46.98
	Female	34,914	52.99
	Unknown	20	0.03
Age	Median age (years)	39	
	Mean age (years)	42	
	Age range (years)	0 - 106	
	0-4 yrs	1,587	2.41
	5-14 yrs	3,864	5.86
	15-24 yrs	11,426	17.34
	25-34 yrs	11,160	16.94
	35-44 yrs	10,345	15.7
	45-54 yrs	10,045	15.25
	55-64 yrs	7,190	10.91
	65-74 yrs	3,853	5.85
	75-84 yrs	3,381	5.13
	85+ yrs	3,002	4.56
	Unknown	32	0.05




Figure 3: Cumulative age- and sex-specific incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 09/11/2020 (excluding 31 cases for whom age is unknown, 19 cases for whom sex is unknown and 1 case for whom both are unknown)

Table 2: Number of confirmed COVID-19 cases by county notified to midnight 09/11/2020

County Name	Number of cases	Percent
Carlow	578	0.88
Cavan	2,103	3.19
Clare	1,386	2.1
Cork	5,840	8.86
Donegal	2,443	3.71
Dublin	25,042	38.01
Galway	2,434	3.69
Kerry	1,221	1.85
Kildare	3,865	5.87
Kilkenny	855	1.3
Laois	911	1.38
Leitrim	239	0.36
Limerick	2,286	3.47
Longford	602	0.91
Louth	1,783	2.71
Mayo	1,291	1.96
Meath	3,131	4.75
Monaghan	1,160	1.76
Offaly	1,071	1.63
Roscommon	845	1.28
Sligo	690	1.05
Tipperary	1,319	2
Waterford	827	1.26
Westmeath	1,468	2.23
Wexford	1,138	1.73
Wicklow	1,357	2.06
Total	65,885	100

Table 3: Number of confirmed COVID-19 cases by WHO transmission classification notified to midnight 09/11/2020

Transmission classification*	Count of Events	%
Community transmission, incl. possible community transmission	21,388	32.46%
Local transmission, incl. possible local transmission	41,880	63.57%
Travel abroad, incl. possible travel abroad	944	1.43%
Unknown	1,673	2.54%
Total	65,885	100.00%

*See technical note 3 for definition of WHO transmission classification

Cases which were notified more than 2 weeks ago and have not yet been reported as imported or linked to an outbreak are classified as possible community transmission.

Table 4: Cumulative number of confirmed cases of COVID-19 notified in Ireland by age group and hospitalisation and ICU admission as of midnight 09/11/2020

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	1587	51	1.08	2	0.34
5-14 yrs	3864	47	0.99	4	0.68
15-24 yrs	11426	146	3.08	8	1.37
25-34 yrs	11160	300	6.32	17	2.91
35-44 yrs	10345	386	8.14	48	8.21
45-54 yrs	10045	607	12.8	106	18.12
55-64 yrs	7190	696	14.67	155	26.5
65-74 yrs	3853	856	18.04	167	28.55
75-84 yrs	3381	1,027	21.65	70	11.97
85+ yrs	3002	626	13.2	8	1.37
Unknown	32	2	0.04	0	0
Total	65,885	4,744	100	585	100

Table 5: Number and proportion of confirmed cases of COVID-19 notified in Ireland by age-group, hospitalisation, ICU admission and vital status 09/11/2020

	0-4 yrs	5-14 yrs	15-24 yrs	25-34 yrs	35-44 yrs	45-54 yrs	55-64 yrs	65-74 yrs	75-84 yrs	85+ yrs	Unknown
Number of cases (n)	1,587	3,864	11,426	11,160	10,345	10,045	7,190	3,853	3,381	3,002	32
Cases hospitalised (n)	51	47	146	300	386	607	696	856	1,027	626	2
Cases hospitalised (%)	3.21	1.22	1.28	2.69	3.73	6.04	9.68	22.22	30.38	20.85	6.25
Cases admitted to ICU (n)	2	4	8	17	48	106	155	167	70	8	0
Cases admitted to ICU (%)	0.13	0.10	0.07	0.15	0.46	1.06	2.16	4.33	2.07	0.27	0.00
Deaths (n)	0	0	1	7	12	30	79	262	582	733	0
Case fatality ratio (%)	0	0	0.01	0.06	0.12	0.30	1.10	6.80	17.21	24.42	0

Outbreaks of COVID-19

Table 6: Number of clusters/outbreaks COVID-19 by location and HSE area notified to midnight 09/11/2020

Outbreak Location	E	M	MW	NE	NW	S	SE	W	HPSC	Total
Private house	2,978	80	176	386	309	447	536	489		5,401
Other*	213	59	147	59	99	193	56	112	2	940
Nursing home	163	16	20	51	8	21	20	43		342
Residential institution	138	16	17	33	10	30	14	9		267
Workplace	85	17	20	43	31	20	18	22		256
Hospital	92	7	8	20	6	16	5	7		161
Comm. Hosp/Long-stay unit	7	4	2		4	6	5	5		33
Unknown	9				3					12
Total	3,685	199	390	592	470	733	654	687	2	7,412

*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.




Figure 5: Trend in number of COVID-19 clusters by location and week notified to midnight 09/11/2020

*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.

Note: 6,576 COVID-19 outbreaks were reported on CIDR between week 24 and week 45 2020 (9th June to 9th Nov). Of these, 5,113 were family outbreaks. Based on the earliest date associated with each outbreak, some of these family outbreaks occurred earlier and were reported between weeks 24 and 45 as a result of data validation: 1 occurred in February, 636 in March, 474 in April, 94 in May, 126 in June, 127 in July, 533 in August, 1,495 in September, 1,518 in October and 109 to date in November.

Deaths among COVID-19 cases

Table 7: Summary of deaths in all COVID-19 cases notified in Ireland up to midnight 09/11/2020

	Number	Percent
Total number of deaths	1,965	
Confirmed	1,706	86.82
Probable	95	4.83
Possible	164	8.35
Total number of cases hospitalised	869	44.22
Cases admitted to ICU	123	6.26
Cases not admitted to ICU	746	37.96
Total number of imported cases	7	0.36
Number of cases in healthcare workers	8	0.41
Number with underlying clinical conditions	1,824	92.82
Total number of male cases	993	50.53
M:F ratio	1.02	
Median age (years)	83	
Mean age (years)	81	
Age range (years)	17 - 105	

Table 8: Number of deaths in all COVID-19 cases by sex and age group notified in Ireland up to midnight 09/11/2020

Age group (years)	Female	Male	Total	Percent
15-24 yrs	<5	<5	1	0.05
25-34 yrs	<5	5	7	0.36
35-44 yrs	6	7	13	0.66
45-54 yrs	12	20	32	1.63
55-64 yrs	27	58	85	4.33
65-74 yrs	106	184	290	14.76
75-84 yrs	299	365	664	33.79
85+ yrs	517	354	871	44.33
Unknown	<5	<5	2	0.1
Total	972	993	1,965	100
Percent	49.47	50.53		




Figure 6a: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total to midnight 09/11/2020




Figure 6b: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total, 01/09/2020 to midnight 09/11/2020

* Date of death is not yet available for six cases

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date

Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

Technical Notes

1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 11/11/2020. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

2. Epidemiological date

Epidemiological date is derived from the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and ≥ 85 years.

3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.
- Local transmission indicates locations where the source of infection is within the reporting location.
- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

4. HSE areas

The counties covered by each HSE area are as follows:

- HSE East (E): Dublin, Kildare & Wicklow;
- HSE Midlands (M): Laois, Longford, Offaly & Westmeath;
- HSE Midwest (MW): Clare, Limerick & N. Tipperary;
- HSE Northeast (NE): Cavan, Louth, Meath & Monaghan;
- HSE Northwest (NW): Donegal, Leitrim & Sligo;
- HSE South (S): Kerry & Cork;
- HSE Southeast (SE): Carlow, Kilkenny, S. Tipperary, Waterford & Wexford;
- HSE West (W): Galway, Mayo & Roscommon.

5. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.