





Epidemiology of COVID-19 in Ireland - 14 day report

Report prepared by HPSC on 16/10/2020

Summary characteristics of confirmed COVID-19 cases notified in Ireland from 02/10/2020 up to midnight 15/10/2020

	Number	Percent
Total number of confirmed cases	10,377	
National incidence of confirmed cases per 100,000 population	217.92	
Number of cases hospitalised*	292	2.81
Number of cases admitted to ICU*	23	0.22
Number of deaths among confirmed cases	15	0.14
Case fatality ratio (CFR, %)	0.14	
National incidence of confirmed deaths per 100,000 population	0.32	
Number of cases** associated with clusters	3,203	30.87
Number of imported cases	6	0.06
Number of cases in healthcare workers	529	5.1
Males	5,237	50.47
Females	5,125	49.39
M:F ratio	1.02	
Median age (years)	31	
Mean age (years)	35	
Age range (years)	0 - 98	

* The number of cases hospitalised and admitted to ICU relate only to events notified in the last 14 days and do not include cases notified prior to this and admitted to hospital or ICU in the last 14 days

**Cases may be associated with outbreaks notified outside the timeframe of this report 02/10/2020 - 15/10/2020

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system at 11:40 on 16/10/2020 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.



Figure 1. Daily number and cumulative number of confirmed cases of COVID-19, and 5-day moving average, by notification date (n=10,377)

Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland from 02/10	10/2020 up to midnight on 15/10/202
---	-------------------------------------

Characteristic		Number of cases	Percent	
Total number of confirmed cases		10,377	100	
Sex	Male:Female ratio	1.02		
	Male	5,237	50.47	
	Female	5,125	49.39	
	Unknown	15	0.14	
Age	Median age (years)	31		
	Mean age (years)	35		
	Age range (years)	0 - 98		
	0-4 yrs	297	2.86	
	5-14 yrs	734	7.07	
	15-24 yrs	2,871	27.67	
	25-34 yrs	1,823	17.57	
	35-44 yrs	1,436	13.84	
	45-54 yrs	1,336	12.87	
	55-64 yrs	1,009	9.72	
	65-74 yrs	475	4.58	
	75-84 yrs	245	2.36	
	85+ yrs	147	1.42	
	Unknown	4	0.04	
Underlying clinical conditions	Yes	1,410	13.59	
	No	6,244	60.17	
	Unknown	2,723	26.24	



Figure 2: Cumulative number of confirmed COVID-19 cases notified in Ireland by date/week of notification and age group (years) from 02/10/2020 to midnight 15/10/2020

Table 2: Characteristics of confirmed COVID-19 cases by community healthcare organisation (CHO)*	
notified from 02/10/2020 to midnight 15/10/2020	

CHO Area	C	ases	M:F ratio	Mean age (years)	Healthcare workers		Associated with clusters	
	Ν	%			N	%	N	%
CHO1	1,628	15.69	1.01	36	104	6.39	591	36.3
CHO2	878	8.46	1	31	28	3.19	422	48.06
CHO3	817	7.87	0.98	31	15	1.84	242	29.62
CHO4	1,547	14.91	1.07	35	68	4.4	641	41.44
CHO5	715	6.89	1.08	37	46	6.43	188	26.29
CHO6	531	5.12	0.83	37	36	6.78	128	24.11
CHO7	1,331	12.83	1.04	36	69	5.18	194	14.58
CHO8	1,533	14.77	1.2	37	70	4.57	356	23.22
CHO9	1,396	13.45	0.89	36	93	6.66	441	31.59
Unknown	1	0.01		31	<5	0	0	0
National	10,377	100	1.02	35	529	5.1	3,203	30.87

Table 3: Number of confirmed COVID-19 cases by community healthcare organisation (CHO) * notified in Ireland from 02/10/2020 to midnight 15/10/2020

CHO Area	Number of confirmed cases	Incidence per 100,000 population
CHO1	1628	416.1
CHO2	878	193.8
CHO3	817	212.2
CHO4	1547	224.0
CHO5	715	140.1
CHO6	531	138.6
CHO7	1331	188.1
CHO8	1533	247.5
CHO9	1396	224.7
Unknown	1	
Ireland	10,377	217.9

*CHO1: Cavan, Donegal, Monaghan, Leitrim, Sligo

CHO2: Galway, Mayo, Roscommon CHO3: Clare, Limerick, Tipperary North

CHO4: Cork, Kerry

CHO5: Carlow, Kilkenny, Tipperary South, Waterford, Wexford CHO6: Dublin South East, Dun Laoghaire, Wicklow CHO7: Dublin South City, Dublin South West, Dublin West, Kildare/West Wicklow

CHO8: Laois, Longford, Louth, Meath, Offaly, Westmeath

CHO9: Dublin North, Dublin North Central & Dublin North West

Table 4: Number of confirmed COVID-19 cases by county notified in Ireland from 02/10/2020 to midnight 15/10/2020

County	Number of confirmed cases	Incidence per 100,000 population
Cavan	560	735.1
Meath	785	402.5
Monaghan	226	368.2
Donegal	581	365.0
Clare	367	308.9
Sligo	191	291.4
Cork	1288	237.3
Galway	590	228.6
Leitrim	70	218.4
Westmeath	187	210.7
Limerick	407	208.8
Kildare	453	203.6
Wexford	303	202.4
Dublin	2676	198.6
Roscommon	127	196.8
Louth	233	180.8
Longford	72	176.2
Kerry	259	175.3
Laois	143	168.8
Offaly	110	141.1
Мауо	161	123.4
Kilkenny	122	122.9
Carlow	68	119.4
Waterford	127	109.3
Wicklow	130	91.3
Tipperary	141	88.4
Total	10,377	217.9



Figure 3: Cumulative incidence rates of confirmed COVID-19 cases per 100,000 population, by county, notified in Ireland from 02/10/2020 to midnight 15/10/2020

Please do not directly compared county shades to previous maps. The numbers of cases by county are increasing and as such the categories listed will broaden which may result in changes to the map shading.

Table 5: Number and incidence of confirmed COVID-19 cases by Dublin Local Health Offices (LHOs) notified from 02/10/2020 to midnight 15/10/2020

CCA	Local Health Office	Number of cases in past 14 days based on event date	14 day incidence rates based on event dates
CCA1	Dublin South	126	92.6
CCA2	Dublin South East	284	229.6
CCA3	Dublin South City	209	139.4
CCA4	Dublin South West	250	155.4
CCA5	Dublin West	410	263.9
CCA6	Dublin North West	605	291.3
CCA7	Dublin North Central	385	249.1
CCA8	Dublin North	406	156.7
	Unknown	1	
	Dublin	2,676	198.6

Note: Local health offices (LHOs) came into operation on 1st September 2005, replacing Community Care Areas(CCAs). LHO population denominators are used in this report rather than CCA population denominators. The LHO rates were calculated using Census 2016 LHO denominator data extracted from the HSE Health Atlas and are not a direct match to the corresponding CCAs.

Table 6: Number of confirmed COVID-19 cases by most likely transmission source notified from 02/10/2020 to midnight 15/10/2020

Most likely transmission source	Number of cases	Percent
Travel related	62	0.60%
Close contact with a known confirmed case	4,972	47.91%
Healthcare setting acquired: patient	165	1.59%
Healthcare setting acquired: staff	120	1.16%
Community transmission	2,099	20.23%
Under investigation	2,959	28.51%
Total	10,377	100.00%

*Travel related cases include cases who acquire COVID-19 infection outside of Ireland (imported cases) and cases who acquire COVID-19 infection directly from imported cases



Figure 4: Number of confirmed COVID-19 cases notified in Ireland by date/week of notification and most likely transmission source from 02/10/2020 to midnight 15/10/2020



Figure 5: Number of confirmed COVID-19 cases notified in Ireland by date/week of notification and occupation* from 02/10/2020 to midnight 15/10/2020

*Among cases aged 16-69 years

Table 7: Cumulative number of confirmed cases of COVID-19 notified in Ireland from 02/10/2020 to midnight15/10/2020by age group, hospitalisation and ICU admission*

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	297	9	3.08	0	0
5-14 yrs	734	4	1.37	0	0
15-24 yrs	2871	22	7.53	1	4.35
25-34 yrs	1823	32	10.96	0	0
35-44 yrs	1436	21	7.19	3	13.04
45-54 yrs	1336	25	8.56	0	0
55-64 yrs	1009	48	16.44	7	30.43
65-74 yrs	475	36	12.33	9	39.13
75-84 yrs	245	58	19.86	3	13.04
85+ yrs	147	36	12.33	0	0
Unknown	4	1	0.34	0	0
Total	10,377	292	100	23	100

* The number of cases hospitalised and admitted to ICU relate only to events notified in the last 14 days and do not include cases notified prior to this and admitted to hospital or ICU in the last 14 days

Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

Technical Notes

1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 11:40 on 16/10/2020. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

2. Epidemiological date

Epidemiological date is the earliest date on record for a case. it can be onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date and event creation/notification date.

3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and \geq 85 years.

3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

Travel related cases include cases who acquire COVID-19 infection outside of Ireland (imported cases) and cases who acquire COVID-19 infection directly from imported cases.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.

- Local transmission indicates locations where the source of infection is within the reporting location.

- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

4. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.