



Tuberculosis treatment outcomes in Ireland 2015

Health Protection Surveillance Centre

November 2017

Acknowledgements

Sincere thanks are extended to all those who participated in the collection of data used in this report. This includes the notifying physicians, public health doctors, surveillance scientists, clinical microbiologists, nurses, laboratory staff and administrative staff.

Report prepared by Sarah Jackson and Joan O'Donnell, HPSC.

Treatment outcome: 2015 cases

Outcome was recorded for 183 (64.7%) of the 283 cases notified in 2015. Treatment outcome was not reported for the remaining 100 (35.3%) cases. Of the 10 deaths reported, one (0.4% of total cases) was attributed to TB.

Outcome was reported for 48 (64.0%) of the 75 sputum smear positive cases. Treatment outcome was unknown for the remaining 27 (36.0%) smear positive cases. Of the three deaths among smear positive cases, one was attributed to TB.

Of the 11 cases in 2015 with drug resistance other than MDR/XDR^{*} detected, four (36.4%) were reported as having completed treatment, one died and one case was lost to follow up. Treatment outcome was not reported for the remaining five (45.5%) resistant cases.

Table 1 gives details of treatment outcome for total cases and for sputum smear positive cases, while <u>Table 2</u> gives details of treatment outcome by HSE area for 2015. <u>Figure 1</u> illustrates the trend in treatment outcome between 2006 and 2015 while <u>figure 2</u> displays the percentage of TB notifications by treatment success and year for all cases, new pulmonary culture positive cases and for new sputum smear positive cases.

Treatment outcome	Total	cases	Sputum smear positive cases			
	Number	%	Number	%		
Completed	157	55.5	39	52.0		
Died	10	3.5	3	4.0		
Interrupted	1	0.4	0	0.0		
Still on treatment	1	0.4	1	1.3		
Transferred	6	2.1	2	2.7		
Lost to follow up	8	2.8	3	4.0		
Unknown	100	35.3	27	36.0		
Total	283	100.0	75	100.0		
% Outcome reported	64	4.7	64.0			

Table 1: Treatment outcome for all cases and smear positive cases, 2015

Treatment outcome: 2014 MDR-TB and XDR-TB cases[†]

Of the three MDR-TB cases reported in 2014, one completed treatment, one case died and one case did not have treatment outcome reported at the time of report production. Treatment outcomes for the MDR-TB cases reported during 2015 are not yet available, due to the extended treatment period.

<u>Figure 3</u> shows the number of MDR-TB notifications by treatment outcome and percentage treatment success by year.

^{*} This includes six isoniazid monoresistance, four streptomycin monoresistance and one case with resistance to isoniazid and streptomycin resistance

[†] Treatment outcome for 2015 not available at the time of publication.

Treatment outcome	HSE-E	HSE- M	HSE- MW	HSE- NE	HSE- NW	HSE- SE	HSE-S	HSE- W	Total
Completed	24	9	12	10	17	14	54	17	157
Died (due to TB)						1			1
Died (cause unknown)	1	1		1			2		5
Died (not due to TB)	1		2	1					4
Interrupted								1	1
Lost to follow up	2		1	1	1		1	2	8
Still on treatment							1		1
Transferred	2						3	1	6
Unknown	83	4		3			6	4	100
Total	113	14	15	16	18	15	67	25	283
% Outcome reported	26.5	71.4	100.0	81.3	100.0	100.0	91.0	84.0	64.7
% Treatment success (total cases)	21.2	64.3	80.0	62.5	94.4	93.3	80.6	68.0	55.5
% Treatment success (outcome reported)	80.0	90.0	80.0	76.9	94.4	93.3	88.5	81.0	85.8

Table 2: Treatment outcome by HSE area, 2015



Figure 1: Number of TB notifications by treatment outcome and year



Figure 2: Percentage of TB notifications by treatment success and year



Figure 3: Number of MDR-TB notifications by treatment outcome and percentage treatment success by year